



# TECHNICAL SPECIFICATIONS

This revision prepared by Jy Hildred, Technical and Operations Manager  
Original Document Prepared by BlueBottle3 Pty Ltd

# **CONTENTS**

2	Contents
3	Contacts
3	Capacities
4	Room Specifications – Flat Floor Pavilion
5	Room Specifications – Cobblestone Floor Pavilion
6	Room Specifications - Meeting Room
7	Room Specifications – Kitchen
8	Lighting Details
10	Audio Details
12	Vision Details
13	Rigging and Staging Details
14	General Equipment
15	Elevated Access
16	Fire Alarm / Smoke Detectors

## **IMPORTANT NOTE**

*Whilst every effort is made to ensure this stock is available and in good working order, please check specific items with the venue prior to hire period. All requests for equipment must be made in writing to Meat Market's team. The equipment availability is based on a first come first serve basis and may incur hire charges. Any equipment that is damaged by use from a hirer will incur repair or replacement charges. Please discuss requirements with Meat Market's team, charges apply.*

## **CONTACT DETAILS**

Meat Market  
Office Address 3 Blackwood St, North Melbourne, 3051  
Opening hours Monday – Friday, 9.00am – 5.00pm

Venue Address - Flat Floor Pavilion, Cobblestone Floor Pavilion and Meeting Room:  
5 Blackwood St, North Melbourne, 3051

Venue Address – Stables: 2 Wreckyn St, North Melbourne, 3051

Venue Access times for events can extend beyond these times. Access times for your event are to be negotiated with Meat Market Management in advance.

### **General enquiries and venue bookings:**

Moir Laird  
Presenter Services Coordinator  
P 03 9329 9966  
E meatmarket@melbourne.vic.gov.au

### **Technical enquiries:**

Jy Hildred  
Technical & Operations Manager  
P 03 9658 7838  
M 0429 872 085  
E jy.hildred@melbourne.vic.gov.au

### **Emergency Contacts**

City of Melbourne 24hr Security Office	03 9658 9999
Fire / Police / Ambulance	000
North Melbourne Police Station	03 8379 0800

## **CAPACITIES**

These are legal capacities, and need to include everyone in the space. This includes all staff, attendees, crew and performers. Comfortable capacity will vary based on the layout and build of your event. Event capacities must be discussed with the Presenter Services Co-ordinator in advance of your event.

Flat Floor Pavilion	440
Cobblestone Pavilion	600
Both Pavilions	850
Stables	180
Garden	180
Meeting Room	70
Old Café	10

# **ROOM SPECIFICATIONS – Flat Floor Pavilion**

## **5 Blackwood St, North Melbourne**

Length	35175mm (partition to wall)
Width	16082mm (wall to wall)
Height	Vaulted ceiling: To highest point 9200mm, to lowest point 4000mm Floor to lx bars approximately 5700mm (variations of 5600mm & 5800mm across bars)
Floor	Flat sprung plywood floor (no rake), Painted Grey, Load rating 4.5kpa
Loading Dock	Pavilion lane between 7 Blackwood Street and Tyrone Street External Door Dimensions 4850mm (w) x 3650mm (h) Internal Door Dimensions 2450mm (w) x 3300mm (h) Clearance height reduced to 3640mm, 16m from entrance
Black out	All windows have motorised blinds and can be blacked out This does not provide 100% blackout during daylight hours
Access	Via the actionable walls or Tyrone St Loading dock.
Emergency Exits	Via Pavilion lane and doors either side of actionable wall.
House lights	500w QI floods (up lights), dimmable House lights are controlled via 4 button Dynalite control panel.
Work light.	LED overhead lights.
Power	6 x 3ø 40amp 5 pin outlet. (Blackwood St side columns) 3 x 3ø 40amp 5 pin outlet. (Wreckyn St side columns) Green GPO's Provide 'Clean' audio power
Climate Control	Split system with temperature set at 21 degrees.
Internet	Internet access available via superfast Wi-Fi 50/50mbps fibre optic service. Additional charges apply.
Kitchen	Commercial grade facilities available upon request. Charges apply.
Additional Information	Black wool drapes down both sides of hall dead hung. The Flat Floor Pavilion is separated from the Cobblestone Floor Pavilion by actionable walls. These can be fully opened or closed as required. Wings are used for Meat Market equipment storage.
Floorplan	DWG & PDF's available upon request to the Operations Manager.

# **ROOM SPECIFICATIONS – Cobblestone Floor Pavilion**

## **5 Blackwood St, North Melbourne**

Length	36262mm (wall to partition D)
Width	16094mm (wall to wall)
Height	5360mm at lowest point - 9200mm at apex (floor to ceiling)
Floor	Cobble stones / flat painted plywood floor Cobble stone 31108mm x 12844mm (Courtney Street end) Plywood floor 5154mm x 16094mm
Loading Dock	Cobblestone Entrance closest to #3 Blackwood Street External Door Dimensions 4100mm (w) x 4100mm (h) Internal Door Dimensions 3500mm (w) x 3500mm (h) Clearance height reduced to 4000mm, 16m from entrance
Black out	All windows have motorised blinds and can be blacked out This does not provide 100% blackout during daylight hours
Access	Via the actionable walls, cobblestone lane off Blackwood St and entrance from Courtney Street
Emergency Exits	Via car park, 42 Courtney St and Cobblestone lane to Blackwood St
House Lights	Fluorescent feature lights around ceiling.
Work light.	LED overhead lights. Fluoro's in bays
Power	1 x 3ø 50amp 5 pin outlet. (Courtney St end, Blackwood St side) 1 x 3ø 40amp 5 pin outlet. (Courtney St end, Wreckyn Street side) 3 x 3ø 32amp 5 pin outlet. (Courtney St end) 1 x 3ø 32amp 5 pin outlet. (Out front of kitchen) 1 x 3ø 32amp 5 pin outlet. (In kitchen), 10/15amp in various locations/ Distribution Boards available
Heating	10 x Radiant gas heater located evenly in the space
Internet	Internet access available via superfast Wi-Fi 50/50mbps fibre optic service. Additional charges apply.
Additional Information	The Flat Floor Pavilion is separated from the Cobblestone Floor Pavilion by actionable walls. These can be fully opened or closed as required. Black wool drapes down both sides of hall dead hung on tracks, allowing access to the bays.
Kitchen	Basic Kitchenette available. Commercial grade facilities available upon request. Charges apply.
Floorplan	DWG & PDF's available upon request to the Operations Manager.

Meat Market

5 Blackwood Street, North Melbourne 3051 – meatmarket@melbourne.vic.gov.au - P 03 9329 9966  
Details subject to change without notice – revised July 2018 – please confirm all requirements prior to hire period

## **ROOM SPECIFICATIONS – Meeting Room**

Length	11089mm (wall to wall)
Width	7120mm (wall to wall)
Height	4300mm (floor to ceiling) 3145mm (floor to house lx)
Floor	Floor is carpeted
Kitchenette	Kitchenette is available, with mobile urn. No crockery or consumables are included.
Windows	Blinds available to darken room for projection
Access	Access is via 2 individual swinging doors Door dimensions 1230mm x 2400mm
Emergency Exits	Via the 2 swinging doors Emergency exits must be kept clear at all times.
Climate Control	22°C on 3 hour timer controlled from wall button.
AV Control	User friendly touch screen RTI interface for controlling all Audio Visual equipment. Laptop connections available via HDMI, VGA or Display Port (Apple)
Lighting	12 Fluorescent Dimmable Lights Control is located next to the centre door
Audio	House sound system is integrated in to venue. Audio playback, microphones and projection facilities are available upon request.
Projector	1 x Epson EB-955WH Data projector, 3200 Lumens, WXGA 1080p HD Data Projector. Patch point located in floor box.
Internet	Internet access available via superfast Wi-Fi 50/50mbps fibre optic service. Additional charges apply.
Floorplan	DWG & PDF's available upon request to the Operations Manager.
Other	Whiteboard and lectern are available upon request

## **ROOM SPECIFICATIONS – Kitchen**

*Additional lighting requirements may be arranged, please discuss requirements with Meat Market's team, charges apply.*

The commercial kitchen is the only area in the venue where gas appliances can be used, or cookware that requires exhaust to be used. Meat Market will require evidence of Risk Management planning for use of such appliances.

Refrigeration            1 x SKOPE TME 1500-C 3 door fridge  
                                 1 x SKOPE TME Activecore 2 door fridge (980L)  
                                 1 x Westinghouse chest freezer (830mm W x 720mm W x 997mm H)

Oven                        1 x Goldstein 6 burner gas oven, under exhaust

Dishwasher            1 x Norris small undercounter glass washer  
                                 1 x Norris Cafemaster undercounter dish washer

Stainless Steel Bench 1 x stainless steel island

If additional space is required, the bays outside the kitchen can be converted into an additional prep or service area. Induction or electric cookware can be used in this area.

## **LIGHTING DETAILS**

*Additional lighting requirements may be arranged, please discuss requirements with Meat Market's team, charges apply.*

Controllers	1 x ETC Ion 1000 console with 1x20 fader wing 1 x ETC Nomad dongle with Programming Wing, 2 universe node and touchscreen, can be used as backup for Ion 1 x JANDS 4 Pak Dimmer 1 x JANDS 4 Pak DMX Dimmer
Dimmers	6 x JANDS HPC 12 Dimmer/Controller with 40 Amp plug (3 in each pavilion) 1 x LSC iPAK 12 channel, 10A dimmer with 40 Amp plug
LED Fixtures	6 x Chauvet Rogue R2 moving head Wash 4 x Chauvet Rogue R2 moving head Profile 18 x Hercules wireless coloured uplight 6 x ETC ColorSource PAR (RGB & Lime) 6 x Chauvet Colorado 1-Quad Zoom (Utilised as Truss warmers) 14 x PR XLED2007 Beam Moving head RGBW (permanently hung in Flat Floor Pavilion) 6 x PR XLED2007 Beam moving head RGBW (floating stock) 6 x Chauvet Colordash Batten Hex8 RGBAW+UV 4 x Show Pro LED Blinder 2 9 x 15m LED Dreamfest festoon with controllers
Conventional Fixtures	4 x ETC Source 4 Profile 750W 26° fixed 4 x ETC Source 4 Profile 750W 15°-30° zoom 4 x ETC Source 4 jnr Profile 575W 25°-50° zoom 4 x Selecon Acclaim Axial 650w Profile 22-44° inc frames 6 x Strand SL Profile 15-32° inc frames 24 x Selecon Rama Fresnel 1.2kw inc barn doors & frames 12 x Selecon Acclaim 650w Fresnel's inc barn doors & frames 6 x Par 64 240v inc frames 6 x Thomas Par 56 cans (12 x MFL) inc frames
Lighting accessories	1 x Unique 2 haze machine 2 x Jands JND-DD8 DMX Splitter 2 x LSC MDR 10 way DMX splitters 1 x WDMX router
Leads	Various 240v piggy back power Various DMX 5pin 1 x 30m 6way Weiland looms with headers and tails
Lighting bars	Flat Floor Pavilion: 7 x 16m bars, Each bar has 16 patch outlets SWL - 200kg UDL Each bar has hard wired looms running back to a singular point near the Pavilion lane. 3 x DMX patching available per bar.



Lighting bars

Cobblestone Floor Pavilion:

3 x 9m 300mm Box Truss runs, hanging from .5t chain motors

LX 1 has 2 x 6 way weilands and 1 x DMX run to the bar

LX 2 and LX 3 each have 1 x 6 way weiland and 1 x DMX run to the bars

# **AUDIO DETAILS**

*Additional audio requirements may be arranged, please discuss requirements with Meat Market's team. Upon special request the PA systems may be altered from their standard position, labour charges apply.*

PA in Flat Floor	6 x NEXO GEO M620 flown L/R compact line array 4 x NEXO GEO M620 flown delays 2 x NEXO LS18 Sub 1 x NEXO AMP NXAMP 4x1
PA in Cobblestone	12 x NEXO GEO M620/M620B flown L/R compact line array 2 x NEXO LS18 Sub 2 x NEXO AMP NXAMP 4x1
Foldback wedges	8 x Quest M450A 12inch powered speaker
Consoles	1 x Digico SD11 32/8 Digital Mixing Console with D rack 1 x Allen & Heath ZED16fx 16/4 USB Mixing Console 1 x Mackie Onyx 1640 16 Channel Analogue Mixing Console
Other	1 x Yamaha P3500S Amplifier – Dual Channel 1 x Denon DN T625 combined CD / Tape playback unit 4 x Radial JDI, 4 x Radial J48 1 x Radial USBPRO
Stands	5 x Stands to suit Quest M450A 15 x various K&M mic stands
Microphones	3 x Shure ULXD Dual Channel receivers 4 x BETA58 ULXD Wireless mics 2 x Shure ULXD belt pack transmitters 2 x DPA 4066 headset mics with belt pack adapter 2 x Shure WL185 lapel mics with belt pack adapter 5 x Shure SM58 vocal mic 1 x Shure Beta58 1 x Shure Beta57 1 x Beyer M88 2 x Shure SM57 1 x Shure Beta52A 1 x Sennheiser e609 4 x Neumann KM184
Lecturn	2 x Black Lectrum with lamp and timer 1 x Silver Lectrum 4 x Shure MX418 lecturn mic
Leads	Various 3pin XLR mic leads, Various patch leads, Various looms and drop boxes

## **VISION DETAILS**

*Additional vision requirements may be arranged, please discuss requirements with Meat Market's team, charges apply.*

Projectors	2 x Barco RLM W8 8000 lumens HD projector with fixed 0.77:1 Lens, mid throw and long throw lens. Rigging bracket for truss mounting
Screens	1 x 20'x11.3' (16:9) Stumpfl Fastfold Flown Screen with front & rear project surfaces 1 x 16'x9' (16:9) Fastfold Flown Screen with front & rear project surfaces 1 x 10'6'x14' (4:3) Techfold Screen System Freestanding or Suspended, Front or Rear Projection surfaces 2 x 75' CHIQ LCD Screens mounted to rollaway stands with Soundbar and laptop shelf. 1 x 40' CHIQ LCD foldback monitor
Vision Mixer	1 x ROLAND V40HD Multi format mixer (HDMI, VGA & Composite Inputs) with preview monitor
Playback	2 x MacBook Pro 13" laptop HD output. 2 x HP Probook PC's 2 x DVD players 1 x Logitech presentation clicker
Cables	Various vision cables and adaptors The venue cannot always provide adaptors for all devices; it is recommended that anyone providing their own laptop brings the appropriate adapter to HDMI.

# **RIGGING & STAGING DETAILS**

## Alloy Box Truss Curved Arch

Meat Market has an alloy box truss curved arch designed for circus rigging and other applications where the weight limitations of the lx bars prohibit heavy rigging.

Construction of the alloy box truss curved arch must be undertaken by qualified riggers, and takes a minimum four hours to complete, depending on its location in the space. Additional charges apply for both hire and construction of the alloy box truss curved arch.

The alloy box truss curved arch consists of:

### Rigging for Curved Arch

7 x 3m (l) 300mm box truss

2 x 1m (l) 300mm box truss

4 x Custom angled alloy 6 way joiners

5 x 800kg Tirfor and cable

6 x 2m, 2t Round black slings

18 x 3.25t High load bow shackles

2 x Round custom steel base plates (BBQ plates) 1200mm (D) x 8mm (thick) (to suit 300mm box / tri truss)

Bolt sets and pins to suit

Truss lifter for install

## Space Frame in Cobblestone Floor Pavilion

The Cobblestone Floor Pavilion houses a permanently installed space frame that allows for circus rigging, lighting rigging and other rigging applications. The space frame covers a footprint of approximately 12m x 9.5m and is located marginally off centre towards the Courtenay St end of the room. The internal width of the space frame is 11490mm and the height from cobblestones to lower cord at the apex of the truss is 8242mm. The space frame is constructed of custom 500mm box truss. The space frame has 3 rows of 9m box truss rigged on chain blocks to act as lighting bars. Rigging lighting directly onto the space frame greatly increases bump in times and costs. The space frame has an 11m x 9m stage built beneath it, and can be dressed in black curtains to create something of a black box theatre.

### Rigging for LX bars in Space Frame

9 x 3m 300mm box truss

6 x 500kg GIS chain motors with controller

### Additional Rigging Equipment

6 x 6m Alloy pipes

20 x 90° Scaff clamps

10 x Swivel Scaff clamps

4 x Round custom steel base plates (BBQ plates) 1200mm (D) x 8mm (thick) (to suit 300mm box / tri truss)

Various slings and shackles

**All rigging work is classed as High Risk Work, only licenced riggers are to install and utilise the truss and rigging systems at Meat Market.**

# **GENERAL EQUIPMENT**

## **Seating Banks:**

184px ACROMAT retractable seating bank

132px PROSTAGE fixed seating bank

*Charges apply for the use of seating banks. Various setups are available.*

## **Stage Cloths – (Drop m x Width m)**

2 x 6.5m x 5.8m Black Woollen Tabs with fullness (Hung on track upstage on truss)

3 x Curved truss borders

10 x 6m x 2.4m Black woollen legs

8 x 5.6m x 2.4m Black Woollen Legs

12 x 5.7m x 2.4m Black Woollen Legs

10 x 5.8 x 2.4m Black Woollen Legs

6 x 5.6m x 2.2m Black Woollen legs with fullness (Installed on Tab track at Tyrone St end of Pavilion for sound baffling)

4 x 1.2m x 5.8m Black Woollen Borders

1 x 5.8m x 12m White Cyclorama

Various Drape Push Up poles, cross beams and bases.

## **Rostra for Cobblestone Floor Pavilion:**

50 x Prostage decks with black Masonite finish - 2m x 1m

200mm leg units to suit Prostage decks

*Please note that the standard configuration for these decks is an 11m W x 9m D floor in the Cobblestone Floor Pavilion, at 200mm high, underneath the permanently installed space frame. Any change to the standard configuration will incur an additional fee.*

## **Other Rostra:**

11 x 1.2m x 2.4m Rollaway Megadeck with black plywood top

450, 600 & 800mm legs to suit

16 x 2m x 1m Prostage Staging decks with various legs.

All Rostra can be installed and removed in most configurations, please discuss requirements with Operations Manager, labour charges apply.

## **Flooring:**

5 x 10m x 2m Reversible Pro Harlequin dancefloor White/Black

5 x 10m x 2m Reversible Pro Harlequin dancefloor Grey/Black

Red carpet runners

Various carpets and Astro Turf

## **Chairs:**

350 x Sebel Padded linking Chairs Black / Dark Blue / Green (Pavilions)

100 x Sebel Padded Dark Blue (Stables)

70 x Black and Chrome velvet padded chairs (Meeting Room)

**Tables:**

- 10 x High Bar table with chairs
  - 20 x Trestle tables 1800mm (l) x 750mm (w) x 750mm (h)
  - 24 x MityLite Round Trestle tables 1800 diameter
  - 18 x Round Trestle tables 1650 diameter
  - 8 x Round Trestle Tables 1200 diameter
  - 10 x Trestle tables 1800mm (l) x 750mm (w) x 750mm (h) (Stables)
- Meat Market does not provide any linen with use of the trestles.*

**Other items:**

- Various trolleys
- 2 x White boards
- 2 x Mobile bars (3m length)
- 2 x Williams Upright single door fridges
- 15 x Bollards
- 4 x A-frame display boards (print size 600mm x 900mm, portrait orientation)
- 6 x A4 lollipop sign displays (portrait orientation)

# **ELEVATED ACCESS**

2 x Haulotte Star 6 Motorized battery operated work platform

(Licenced Operators must be inducted for usage by Meat Market staff and display competency as per Worksafe regulations)

- Working height 5.8 m
- Platform height (max.) 3.8 m
- Platform capacity (max.) 230kg
- Platform size (inside) 0.77 x 1.38 m
- Stowed height 1.75m
- Stowed length 1.4 m
- Stowed width 0.79 m
- Driveable at full height 3.8 m

1 x Upright UL 32AC motorised vertical work platform (EWP)

(Operators must be inducted for usage by Meat Market staff and display competency as per Worksafe regulations)

- Working height 11.54 m
- Platform height (max.) 9.72 m
- Platform capacity (max.) 136 kg
- Platform size (inside) 0.66 m. x 0.66 m
- Stowed height 2.53 m
- Stowed length 1.32 m
- Stowed width 0.74 m
- Outrigger Footprint 2.06 m. x 1.99 m
- Requires 240v power to operate (no battery)

NOTE: EWP Log books must be completed prior to each use and the EWP must be stored in the allocated area.

## Ladders

- 1 x 3600mm Platform Safety Ladder
- 1 x 2400mm Platform Safety Ladder
- 1 x 1200mm Fibreglass 'A' Frame Ladder
- 1 x 1800mm Fibreglass 'A' Frame Ladder
- 1 x Waku Telescopic Ladder

## **FIRE ALARM / SMOKE DETECTORS**

Meat Market Operations Manager must approve the use of smoke machines, hazers, oil crackers or any other effect that results in major particle release (smoke, dust or mist), prior to the hire period in order that notification can be sent to the insurance company. Requests for these activities must be made in writing in advance of your booking.

Arrangements for the isolation of smoke detectors / alarms before each show must be made with the venue supervisor every time the venue is isolated.

The F.I.P log is a simple record of isolation/de-isolation. It is located on the front of the Fire Information Panel and must be completed every time the venue is isolated.

Hirer's production manager, stage manager, lighting operator or other suitably competent person must familiarise themselves with all aspects of the isolation procedures.

Hirer must ensure that the venue is isolated only at the times when isolation is required. The venue must be de-isolated at all other times.

Any costs of false alarms resulting from failing to isolate smoke detectors / alarms will be forwarded to the hirer.