



TECHNICAL SPECIFICATIONS

This revision prepared by Jy Hildred, Technical and Operations Manager
Original Document Prepared by BlueBottle3 Pty Ltd

CONTENTS

2	Contents
3	Contacts
3	Capacities
4	Room Specifications – Flat Floor Pavilion
5	Room Specifications – Cobblestone Floor Pavilion
6	Room Specifications - Meeting Room
7	Room Specifications – Kitchen
8	Lighting Details
10	Audio Details
12	Vision Details
13	Rigging and Staging Details
14	General Equipment
15	Elevated Access
16	Fire Alarm / Smoke Detectors

IMPORTANT NOTE

Whilst every effort is made to ensure this stock is available and in good working order, please check specific items with the venue prior to hire period. All requests for equipment must be made in writing to Meat Market's team. The equipment availability is based on a first come first serve basis and may incur hire charges. Any equipment that is damaged by use from a hirer will incur repair or replacement charges. Please discuss requirements with Meat Market's team, charges apply.

CONTACT DETAILS

Meat Market

Office Address

3 Blackwood St, North Melbourne, 3051

Opening hours

Monday – Friday, 9.00am – 5.00pm

Venue Address - Flat Floor Pavilion, Cobblestone Floor Pavilion and Meeting Room:

5 Blackwood St, North Melbourne, 3051

Venue Address – Stables:

2 Wreckyn St, North Melbourne, 3051

Venue Access times for events can extend beyond these times. Access times for your event are to be negotiated with Meat Market Management in advance.

General enquiries and venue bookings:

Moir Laird

Presenter Services Coordinator

P 03 9329 9966

E meatmarket@melbourne.vic.gov.au

Technical enquiries:

Jy Hildred

Technical & Operations Manager

P 03 9658 7838

M 0429 872 085

E [jy.hildred@melbourne.vic.gov.au](mailto: jy.hildred@melbourne.vic.gov.au)

Emergency Contacts

City of Melbourne 24hr Security Office 03 9658 9999

Fire / Police / Ambulance 000

North Melbourne Police Station 03 8379 0800

CAPACITIES

These are legal capacities, and need to include everyone in the space. This includes all staff, attendees, crew and performers. Comfortable capacity will vary based on the layout and build of your event. Event capacities must be discussed with the Presenter Services Co-ordinator in advance of your event.

Flat Floor Pavilion	440
Cobblestone Pavilion	600
Both Pavilions	850
Stables	180
Garden	180
Meeting Room	70
Old Café	10

ROOM SPECIFICATIONS – Flat Floor Pavilion

Length	35175mm (partition to wall)
Width	16082mm (wall to wall)
Height	Vaulted ceiling: To highest point 9200mm, to lowest point 4000mm Floor to lx bars approximately 5700mm (variations of 5600mm & 5800mm across bars)
Floor	Flat sprung Weathertex skinned plywood floor, Painted Grey, Load rating 4.5kpa
Loading Dock	Pavilion lane between 7 Blackwood Street and Tyrone Street External Door Dimensions 4850mm (w) x 3650mm (h) Internal Door Dimensions 2450mm (w) x 3300mm (h) Clearance height reduced to 3640mm, 16m from entrance
Black out	All windows have motorised blinds and can be blacked out This does not provide 100% blackout during daylight hours
Access	Via the actionable walls or Tyrone St Loading dock.
Emergency Exits	Via Pavilion lane and doors either side of actionable wall.
House lights	Phillips ColourBlast Powercore RGB LED Uplighters House lights are controlled via 6 button Dynalite control panel. Lights can be controlled from console over DMX for full lighting integration of room.
Work light.	LED flood overhead lights.
Power	6 x 3ø 40amp 5 pin outlet. (Blackwood St side columns) 3 x 3ø 40amp 5 pin outlet. (Wreckyn St side columns) Green 240v GPO's available to provide 'Clean' audio power Standard 240v available at each column
Climate Control	Split system with temperature set at 21 degrees.
Internet	Internet access available via superfast Wi-Fi 50/50mbps fibre optic service. Additional charges apply.
Kitchen	Commercial grade facilities available upon request. Charges apply.
Dressing Rooms	4 x Dressing/Green rooms available, space for up to 50 performers. Laundry facilities available in small dressing room. Only one shower & toilet available for dressing rooms in flat floor pavilion.
Additional Info	Black wool drapes down both sides of hall dead hung. The Flat Floor Pavilion is separated from the Cobblestone Floor Pavilion by actionable walls. These can be fully opened or closed as required. Wings are used for Meat Market equipment storage.
Floorplan	DWG & PDF's available upon request to the Technical Manager.

ROOM SPECIFICATIONS – Cobblestone Floor Pavilion

Length	36262mm (wall to partition D)
Width	16094mm (wall to wall)
Height	5360mm at lowest point - 9200mm at apex (floor to ceiling)
Floor	Cobble stones / flat painted plywood floor Cobble stone 31108mm x 12844mm (Courtney Street end) Plywood floor 5154mm x 16094mm
Loading Dock	Cobblestone Entrance closest to #3 Blackwood Street External Door Dimensions 4100mm (w) x 4100mm (h) Internal Door Dimensions 3500mm (w) x 3500mm (h) Clearance height reduced to 4000mm, 16m from entrance
Black out	All windows have motorised blinds and can be blacked out This does not provide 100% blackout during daylight hours
Access	Via the actionable walls, cobblestone lane off Blackwood St and entrance from Courtney Street
Emergency Exits	Via car park, 42 Courtney St and Cobblestone lane to Blackwood St
House Lights	Fluorescent feature lights around ceiling.
Work light.	LED overhead lights. Fluoro's in bays
Power	1 x 3ø 50amp 5 pin outlet. (Courtney St end, Blackwood St side) 1 x 3ø 40amp 5 pin outlet. (Courtney St end, Wreckyn Street side) 3 x 3ø 32amp 5 pin outlet. (Courtney St end) 1 x 3ø 32amp 5 pin outlet. (Out front of kitchen) 1 x 3ø 32amp 5 pin outlet. (In kitchen), 10/15amp in various locations/ Distribution Boards available
Heating	10 x Radiant gas heater located evenly in the space
Internet	Internet access available via superfast Wi-Fi 50/50mbps fibre optic service. Additional charges apply.
Additional Info	The Flat Floor Pavilion is separated from the Cobblestone Floor Pavilion by actionable walls. These can be fully opened or closed as required. Black wool drapes down both sides of hall dead hung on tracks, allowing access to the bays.
Kitchen	Basic Kitchenette available. Commercial grade facilities available upon request. Charges apply.
Dressing Rooms	1 x Dressing/Green room available with space for up to 10 performers. Carpeted bays either side of stage can be used for additional BOH/dressing space.
Floorplan	DWG & PDF's available upon request to the Technical Manager.

ROOM SPECIFICATIONS – Meeting Room

Length	11089mm (wall to wall)
Width	7120mm (wall to wall)
Height	4300mm (floor to ceiling) 3145mm (floor to house lx)
Floor	Floor is carpeted
Kitchenette	Kitchenette is available, with mobile urn. No crockery or consumables are included.
Windows	Blinds available to darken room for projection
Access	Access is via 2 individual swinging doors Door dimensions 1230mm x 2400mm
Emergency Exits	Via the 2 swinging doors Emergency exits must be kept clear at all times.
Climate Control	22°C on 3 hour timer controlled from wall button.
AV Control	User friendly touch screen RTI interface for controlling all Audio Visual equipment. Laptop connections available via HDMI, VGA or Display Port. Please provide alternative link cable for any device not matching the supported connections above.
Lighting	12 Fluorescent Dimmable Lights Control is located next to the centre door
Audio	House sound system is integrated in to venue. Audio playback, microphones, lecterns and projection facilities are available upon request.
Projector	1 x Epson EB-955WH Data projector, 3200 Lumens, WXGA 1080p HD Data Projector. Patch point located in floor box.
Internet	Internet access available via superfast Wi-Fi 50/50mbps fibre optic service. Additional charges apply.
Floorplan	DWG & PDF's available upon request to the Operations Manager.
Other	Whiteboard and lectern available upon request

ROOM SPECIFICATIONS – Kitchen

The commercial kitchen is the only area in the venue where gas appliances or cookware that requires exhaust can be used. Meat Market will require evidence of Risk Management planning for use of such appliances.

Refrigeration 1 x SKOPE TME 1500-C 3 door fridge
 1 x SKOPE TME Activecore 2 door fridge (980L)
 1 x Westinghouse chest freezer (830mm W x 720mm W x 997mm H)

Oven 1 x Goldstein 6 burner gas oven, under exhaust

Dishwasher 1 x Norris small undercounter glass washer
 1 x Norris Cafemaster undercounter dish washer

Stainless Steel Bench 1 x stainless steel island

If additional space is required, the bays outside the kitchen can be converted into an additional prep or service area. Induction or electric cookware can be used in this area.

LIGHTING DETAILS

Additional lighting requirements may be arranged, please discuss requirements with Meat Market's team, charges apply.

Controllers	1 x ETC Ion console with 1x20 fader wing, 6144 outputs. 1 x ETC Nomad dongle with Programming Wing and touchscreen. 1 x JANDS 4 Pak Dimmer, 1 x JANDS 4 Pak DMX Dimmer
Dimmers	6 x JANDS HPC 12 Dimmer/Controller with 40 Amp plug (3 in each pavilion) 1 x LSC iPAK 12 channel, 10A dimmer with 40 Amp plug
LED Fixtures	6 x Chauvet Rogue R2 moving head Wash 4 x Chauvet Rogue R2 moving head Profile 18 x Hercules wireless coloured uplighter 6 x ETC ColorSource PAR (RGB & Lime) 6 x Chauvet Colorado 1-Quad Zoom (Utilised as Truss warmers) 14 x PR XLED2007 Beam Moving head RGBW (permanently hung in Flat Floor) 6 x PR XLED2007 Beam moving head RGBW (floating stock) 6 x Chauvet Colourdash Batten Hex8 RGBAW+UV 4 x Show Pro LED Blinder 2 9 x 15m LED Dreamfest festoon with controllers
Conventional Fixtures	4 x ETC Source 4 Profile 750W 26° fixed (Front wash perch Cobble Pavilion) 4 x ETC Source 4 Profile 750W 15°-30° zoom 16 x ETC Source 4 jnr Profile 575W 25°-50° zoom 4 x Selecon Acclaim Axial 650w Profile 22-44° inc frames 6 x Strand SL Profile 15-32° inc frames 24 x Selecon Rama Fresnel 1.2kw inc barn doors & frames 12 x Selecon Acclaim 650w Fresnel's inc barn doors & frames 6 x Par 64 240v inc frames 6 x Thomas Par 56 cans (12 x MFL) inc frames
Lighting accessories	1 x Unique 2 haze machine 2 x Jands JND-DD8 DMX Splitter (Built in to dimmer racks) 2 x LSC MDR 10 way DMX splitters (Built in rack Flat Floor Pavilion) 2 x LSC Nexus Ethernet to DMX nodes (Built in to dimmer racks) 1 x WDMX router
Leads	Various 240v piggy back power, Various DMX 5pin 1 x 30m 6way Weiland looms with headers and tails Ethercon CAT6 & DMX patching available through venue
Lighting bars	Flat Floor Pavilion: 7 x 16m bars, Each bar has 16 patch outlets SWL - 200kg UDL Each bar has hard wired looms running back to a singular point near the Pavilion lane. 3 x DMX patch available per bar.
Lighting bars	Cobblestone Floor Pavilion: 3 x 9m 300mm Box Truss runs, hanging from .5t chain motors LX 1 has 2 x 6 way weilands and 1 x DMX run to the bar LX 2 and LX 3 each have 1 x 6 way weiland and 1 x DMX run to the bars

AUDIO DETAILS

Additional audio requirements may be arranged, please discuss requirements with Meat Market's team. Upon special request the PA systems may be altered from their standard position, labour charges apply.

PA in Flat Floor	8 x NEXO GEO M6/B flown L/R compact line array 6 x NEXO GEO M6 flown delays 2 x NEXO LS18 Sub 2 x NEXO AMP NXAMP 4x1
PA in Cobblestone	8 x NEXO GEO M10 flown L/R line array 2 x NEXO LS18 Sub 1 x NEXO AMP NXAMP 4x4 1 x NEXO AMP NXAMP 4x1
Foldback wedges	8 x Quest M450A 12inch powered speaker
Consoles	1 x Digico SD9 48/16 Digital Mixing Console with D2 rack 1 x Digico SD11 48/16 Digital Mixing Console with D rack 1 x Digico Little Red Box for sharing of racks with 2 consoles 1 x Soundcraft UI24 24/8 Digital mixer/ stage box 1 x Allen & Heath ZED16fx 16/4 USB Mixing Console 1 x Mackie Onyx 1640 16 Channel Analogue Mixing Console
Other	Macbook Pro & iPad available for playback 1 x Denon DN T625 combined CD / Tape playback unit 4 x Radial JDI, 4 x Radial J48 1 x Radial USBPRO
Stands	6 x Speaker stands to suit Quest M450A 15 x various K&M mic stands with boom arms
Microphones	3 x Shure ULXD Dual Channel receivers 4 x BETA58 ULXD Wireless mics 2 x Shure ULXD belt pack transmitters 2 x DPA 4066 headset mics with belt pack adapter 2 x Shure WL185 lapel mics with belt pack adapter 2 x DPA 4099 Instrument mics with piano mount kit 6 x Shure SM58 vocal mic 2 x Shure SM57, 2 x Shure Beta52A 1 x Shure Beta58, 1 x Shure Beta58A 1 x Shure Beta57, 1 x Shure Beta57A 1 x Sennheiser e609, 1 x Sennheiser e906 4 x Neumann KM184, 1 x Beyer M201TG 3 x AUDIX MicroD, 1 x Beyer M88
Lecturn	2 x Black Lectrum lectern with lamp and timer, 4 x Shure MX418 lecturn mic 1 x Silver Lectern
Leads	Various 3pin XLR mic leads, Various patch leads, Various looms and drop boxes. Ethercon CAT6 & XLR patching available through venue

Meat Market

5 Blackwood Street, North Melbourne 3051 – meatmarket@melbourne.vic.gov.au - P 03 9329 9966
Details subject to change without notice – revised July 2019 – please confirm all requirements prior to hire period

VISION DETAILS

Additional vision requirements may be arranged, please discuss requirements with Meat Market's team, charges apply.

Projectors	2 x Barco RLM W8 8000 lumens HD projector with fixed 0.77:1 Lens, mid throw and long throw lens. Rigging bracket for truss mounting
Screens	1 x 20'x11.3' (16:9) Stumpfl Fastfold Flown Screen with front & rear project surfaces 1 x 16'x9' (16:9) Fastfold Flown Screen with front & rear project surfaces 1 x 10'6'x14' (4:3) Techfold Screen System Freestanding or Suspended, Front or Rear Projection surfaces 2 x 75' CHIQ LCD Screens mounted to rollaway stands with Soundbar and laptop shelf. 1 x 40' CHIQ LCD foldback monitor
Vision Mixer	1 x ROLAND V40HD Multi format mixer (HDMI, VGA & Composite Inputs) with preview monitor
Playback	2 x MacBook Pro 13" laptop HD output. 2 x HP Probook PC's 2 x DVD players 1 x Logitech presentation clicker
Cables	Various vision cables, transmitters and adaptors. HD-SDI & Ethercon CAT6 patching available through venue The venue cannot always provide adaptors for all devices; it is recommended that anyone providing their own laptop brings the appropriate adapter to HDMI.

RIGGING & STAGING DETAILS

Alloy Box Truss Curved Arch

Meat Market has an alloy box truss curved arch designed for circus rigging and other applications where the weight limitations of the lx bars prohibit heavy rigging.

Construction of the alloy box truss curved arch must be undertaken by qualified riggers, and takes a minimum four hours to complete, depending on its location in the space. Additional charges apply for both hire and construction of the alloy box truss curved arch.

The alloy box truss curved arch consists of:

Rigging for Curved Arch

7 x 3m (l) 300mm box truss

2 x 1m (l) 300mm box truss

4 x Custom angled alloy 6 way joiners

5 x 800kg Tirfor and cable

6 x 2m, 2t Round black slings

18 x 3.25t High load bow shackles

2 x Round custom steel base plates (BBQ plates) 1200mm (D) x 8mm (thick) (to suit 300mm box / tri truss)

Bolt sets and pins to suit

Truss lifter for install

Space Frame in Cobblestone Floor Pavilion

The Cobblestone Floor Pavilion houses a permanently installed space frame that allows for circus rigging, lighting rigging and other rigging applications. The space frame covers a footprint of approximately 12m x 9.5m and is located marginally off centre towards the Courtenay St end of the room. The internal width of the space frame is 11490mm and the height from cobblestones to lower cord at the apex of the truss is 8242mm. The space frame is constructed of custom 500mm box truss. The space frame has 3 rows of 9m box truss rigged on chain blocks to act as lighting bars. Rigging lighting directly onto the space frame greatly increases bump in times and costs. The space frame has an 11m x 9m stage built beneath it, and can be dressed in black curtains to create something of a black box theatre.

Rigging for LX bars in Space Frame

9 x 3m 300mm box truss

6 x 500kg GIS chain motors with controller

Additional Rigging Equipment

6 x 6m Alloy pipes

20 x 90° Scaff clamps

10 x Swivel Scaff clamps

4 x Round custom steel base plates (BBQ plates) 1200mm (D) x 8mm (thick) (to suit 300mm box / tri truss)

Various slings and shackles

All rigging work is classed as High Risk Work, only licenced riggers are to install and utilise the truss and rigging systems at Meat Market.

GENERAL EQUIPMENT

Seating Banks:

184px ACROMAT retractable seating bank

132px PROSTAGE fixed seating bank

Charges apply for the use of seating banks. Various setups are available.

Stage Cloths – (Drop m x Width m)

2 x 6.5m x 5.8m Black Woollen Tabs with fullness (Hung on fixed tab track upstage on truss arch)

3 x Curved truss borders (permanently hung on truss arch)

10 x 6m x 2.4m Black woollen legs

8 x 5.6m x 2.4m Black Woollen Legs

12 x 5.7m x 2.4m Black Woollen Legs

10 x 5.8 x 2.4m Black Woollen Legs

6 x 5.6m x 2.2m Black Woollen legs with fullness (Installed on Tab track at Tyrone St end of Pavilion for sound baffling)

4 x 1.2m x 5.8m Black Woollen Borders

1 x 5.8m x 12m White Cyclorama

Various Drape Push Up poles, cross beams and bases.

Rostra for Cobblestone Floor Pavilion:

50 x Prostage decks with black Masonite finish - 2m x 1m

200mm leg units to suit Prostage decks

Please note that the standard configuration for these decks is an 11m W x 9m D floor in the Cobblestone Floor Pavilion, at 200mm high, underneath the permanently installed space frame. Any change to the standard configuration will incur an additional fee.

Other Rostra:

16 x 2.4m x 1.2m Rollaway Megadeck with black plywood top

450, 600 & 800mm legs to suit

1 x 1.2m x 1.2m Megadeck with black plywood top (camera riser)

16 x 2m x 1m Prostage Staging carpeted decks with various legs.

All Rostra can be installed and removed in most configurations, please discuss requirements with Technical Manager, labour charges apply.

Flooring:

5 x 10m x 2m Reversible Pro Harlequin dancefloor White/Black

5 x 10m x 2m Reversible Pro Harlequin dancefloor Grey/Black

Red carpet runners

Various carpets and Astro Turf

Chairs:

350 x Sebel Padded linking Chairs Black / Dark Blue / Green (Pavilions)

100 x Sebel Padded Dark Blue (Stables)

70 x Black and Chrome velvet padded chairs (Meeting Room)

Tables:

9 x High Bar table with chairs

20 x Trestle tables 1800mm (l) x 750mm (w) x 750mm (h)
24 x MityLite Round Trestle tables 1800 diameter
18 x Round Trestle tables 1650 diameter
8 x Round Trestle Tables 1200 diameter
10 x Trestle tables 1800mm (l) x 750mm (w) x 750mm (h) (Stables)
Meat Market does not provide any linen with use of the trestles.

Dressing room furniture:

9 x Bar Tables - 680mm (w) x 1120mm (h)
3 x Bullvold Large Ottoman - 450mm (h) x 1200mm (w) x 400mm (d)
3 x Eadie Armchair - 710mm (h) x 870mm (w) x 750mm (d)
4 x Eadie Sofa - 710mm (h) x 2070mm (w) x 750mm (d)
10 x Eve Armchair - 820mm (h) x 520mm (w) x 550mm (d)
4 x Large Ottoman - 2050mm (w) x 820mm (w)
7 x Linear Cafe Tables - 750mm (h) x 700mm (d)
20 x Linear Stools - 750mm (h) x 440mm (w) x 470mm (d)
1 x Nordic Coffee Table - 900mm (w) x 460mm (h)
8 x Replica Ib Kofod-Larsen Lounge Chair - 770mm (h) x 620mm (w) x 670mm (d)

Other items:

Various trolleys
2 x White boards
2 x Mobile bars (3m length)
2 x Williams Upright single door fridges
15 x Bollards
4 x A-frame display boards (print size 600mm x 900mm, portrait orientation)
6 x A4 lollipop sign displays (portrait orientation)

ELEVATED ACCESS

2 x Haulotte Star 6 Motorized battery operated work platform

(Licenced Operators must be inducted for usage by Meat Market staff and display competency as per Worksafe regulations)

- Working height 5.8 m
- Platform height (max.) 3.8 m
- Platform capacity (max.) 230kg
- Platform size (inside) 0.77 x 1.38 m
- Stowed height 1.75m
- Stowed length 1.4 m
- Stowed width 0.79 m
- Driveable at full height 3.8 m

1 x Upright UL 32AC motorised vertical work platform (EWP)

(Operators must be inducted for usage by Meat Market staff and display competency as per Worksafe regulations)

- Working height 11.54 m
- Platform height (max.) 9.72 m
- Platform capacity (max.) 136 kg
- Platform size (inside) 0.66 m. x 0.66 m
- Stowed height 2.53 m
- Stowed length 1.32 m
- Stowed width 0.74 m
- Outrigger Footprint 2.06 m. x 1.99 m
- Requires 240v power to operate (no battery)

NOTE: EWP Log books must be completed prior to each use and the EWP must be stored in the allocated area.

Ladders

- 1 x 3600mm Platform Safety Ladder
- 1 x 2400mm Platform Safety Ladder (Stables)
- 1 x 1200mm Fibreglass 'A' Frame Ladder
- 1 x 1800mm Fibreglass 'A' Frame Ladder
- 1 x Waku Telescopic Ladder

FIRE ALARM / SMOKE DETECTORS

Meat Market Technical Manager must approve the use of smoke machines, hazers, oil crackers or any other effect that results in major particle release (smoke, dust or mist), prior to the hire period in order that notification can be sent to the insurance company. Requests for these activities must be made in writing in advance of your booking.

Arrangements for the isolation of smoke detectors / alarms before each show must be made with the venue supervisor every time the venue is isolated.

The F.I.P log is a simple record of isolation/de-isolation. It is located on the front of the Fire Information Panel and must be completed every time the venue is isolated.

Hirer's production manager, stage manager, lighting operator or other suitably competent person must familiarise themselves with all aspects of the isolation procedures.

Hirer must ensure that the venue is isolated only at the times when isolation is required. The venue must be de-isolated at all other times.

Any costs of false alarms resulting from failing to isolate smoke detectors / alarms will be forwarded to the hirer.